


- ※ EXECUTIVE STANDARDS: ISO6162-1,ISO6162-2,SAEJ518C,SN532,JB / ZQ4187-2006
- ※ SAE FLANGE MATERIAL: C20 / C45 , AMERICAN STANDARD 304/304L/316L
- ※ USING FORGING PROCESS,HYDRAULIC PARTS & FITTING
- ※ ODM & OEM TO WELCOME

XF&JT
SAE FLANGE MANUFACTURER





YANCHENG XINFUJITE CO., LTD.

※ Professional production of zinc nickel alloy SAE split flanges (in stock discounts: FH305/FH306/FH307/FH308) Zinc nickel alloy welded flange, zinc nickel alloy welded hose joint (single-sided welding double-sided forming)

※ The thickness of zinc nickel alloy can reach 8-12 μ m

※ Guaranteed salt spray time: 500 hours without white rust, 1000 hours without red rust;

※ The company is equipped with 3 stainless steel forging production lines and accepts customized product processing

♥ To obtain electronic product catalogs and technical solutions
Please contact 13801612330 for WeChat synchronization (Mr. Xu)

♥ Our exhibition will take place from October 20th,
2025 to October 22nd, 2025; Booth E3 Hall E3-B09

♥ Welcome to our booth for communication and guidance.





XF&JT

YANCHENG XINFUJITE CO., LTD.

※ Specializing in the production of zinc nickel alloy welded hose joints (single-sided welding and double-sided forming);

※ The thickness of zinc nickel alloy can reach 8-12 μ m

※ Guaranteed salt spray time: 500 hours without white rust, 1000 hours without red rust;

※ The company is equipped with 3 stainless steel forging production lines and accepts customized product processing

♥ To obtain electronic product catalogs and technical solutions

Please contact 13801612330 for WeChat synchronization (Mr. Xu)

♥ Our exhibition will take place from October 20th, 2025 to October 22nd, 2025; Booth E3 Hall E3-B09

♥ Welcome to our booth for communication and guidance.





- ♥ To obtain electronic product catalogs and technical solutions
Please contact 13801612330 for WeChat synchronization (Mr. Xu)
- ♥ Our exhibition will take place from October 20th,
2025 to October 22nd, 2025; Booth E3 Hall E3-B09
- ♥ Welcome to our booth for communication and guidance.

***XF&JT* YANCHENG XINFUJITE CO., LTD.**

- ※ Specializing in the production of zinc nickel alloy welded hose joints (single-sided welding and double-sided forming);
- ※ The thickness of zinc nickel alloy can reach 8-12 μ m
- ※ Guaranteed salt spray time: 500 hours without white rust, 1000 hours without red rust;
- ※ The company is equipped with 3 stainless steel forging production lines and accepts customized product processing

